

Conisiana Board of Pharmacy

5615 Corporate Blvd., Suite 8-E Baton Rouge, Louisiana 70808-2537 Telephone (225) 925-6496 Facsimile (225) 925-6499 Web address: www.labp.com Email: labp@labp.com

NOTIFICATION OF CHANGE OF PHARMACIST-IN-CHARGE (PIC) (LAC 46:LIII§1105.H.)

(Mail or fax completed form to the board office at the above address / fax number)

- The permit holder shall notify the board within ten days of the prior PIC's departure date. The permit holder shall designate a new PIC within ten days of the departure of the prior PIC.
- The new PIC shall notify the board within ten days of the departure of the prior PIC.
- A PIC who voluntarily leaves a pharmacy shall give written notice to the board and the owner of the
 permit at least ten days prior to this voluntary departure, unless replaced in a shorter period of time.

RMIT INFORMATION: Pharmacy Name:		Permit #:
•		
Pharmacy Address:		
City:	State:	Zip:
OR PHARMACIST-IN-CHARGE:		
OR PHARMACIST-IN-CHARGE: Pharmacist Name:		LA License #:
		LA License #:
		LA License #: Date of Departure:
Pharmacist Name:		
Pharmacist Name:		
Pharmacist Name:		
Pharmacist Name: Pharmacist Signature: V PHARMACIST-IN-CHARGE (See n	otes below):	Date of Departure:
Pharmacist Name: Pharmacist Signature:	otes below):	
Pharmacist Name: Pharmacist Signature: V PHARMACIST-IN-CHARGE (See n	otes below):	Date of Departure:

SIGNATURES OF PHARMACISTS CERTIFY THAT A COMPLETE INVENTORY OF ALL CONTROLLED SUBSTANCES HAS BEEN CONDUCTED BY THE DEPARTING PIC AND VERIFIED BY THE NEW PIC.

NOTES TO NEW PHARMACIST-IN-CHARGE:

- 1) In order to serve as PIC of any permit, you must have an *Affidavit of Responsibility and Duties* on file at the board office. This change will not be completed until this Affidavit has been received. Affidavit requires notarization; it cannot be faxed.
- 2) In order to serve as PIC at any permit designated as a "hospital permit," the new PIC must have at least two years of experience as a licensed and practicing pharmacist prior to accepting the position.